



# Flygt 2700 series

CORROSION RESISTANT DEWATERING PUMPS

60 Hz

**FLYGT**  
a xylem brand

# Extreme conditions call for extraordinary performance



Salt water, sludge and slurry, corrosive and abrasive liquids, and effluent with unpredictably high or low pH values. These are tough water transport challenges that require tough pumps. The Flygt 2700 series from Xylem are rugged stainless steel submersible dewatering pumps that handle tough drainage jobs and sludge removal with ease.

### **Withstands corrosive environments**

Where other pumps demonstrate inferior corrosion-resistance, Flygt 2700 series pumps have proven successful in transporting corrosive and abrasive fluids as well as chemically contaminated liquids and suspensions. These cast stainless steel workhorses withstand the test of time in applications that would otherwise destroy aluminum or cast iron pumps in a few days or weeks.

### **Unmatched versatility**

Acidity, alkalinity and abrasiveness. Flygt 2700 pumps can handle it all. These all-stainless pumps are excellent choices for tough environments with liquids that have pH values anywhere between 2 and 10. This versatility drastically reduces unplanned operational shutdowns due to pump failure.

### **More uptime with less maintenance**

Because the Flygt 2700 series are made of top-grade stainless steel, the pumps are durable beyond belief. That greatly reduces the need for repairs and the associated costs.

### **Gets tough unwanted water going**

Flygt 2700 submersible drainage and sludge pumps move unwanted water with ease. All told, that spells reduced maintenance and more uptime.



### **Mines and quarries**

Open pit and underground dewatering with low pH value liquids, face and stage dewatering, leachate and solvent extractions, ore pile runoff removal.



### **Industrial**

Fly ash removal, chemical transfer and basin drainage, pH neutralization pumping



### **Chemical industry**

Drainage of sumps with chemical effluents and low pH value liquids, transfer of chemical, corrosive and abrasive liquids.



### **Public utility**

Utility drainage on landfill sites, drainage of acid sumps at wastewater treatment plants, removal of acidic or corrosive liquids at contaminated sites.

# Stainless steel when nothing else works

Corrosive environments call for something tougher, easier and more cost-effective to maintain than aluminium, cast iron or corrosion-protective coatings. That's why the Flygt 2700 series for dewatering applications in environments with extreme pH levels is part of Xylem's broad range of pumps for a wide variety of needs and applications.

### Handles the very acidic to the very alkaline

Stainless steel enables our 2700 pumps to handle advanced drainage jobs in environments where the pH values are difficult to predict and can vary between 2 and 10. This gives you optimal protection against all types of corrosion, even in exposed areas such as connections, as well as between the different components of the pump.

### Slimline simplicity


Slimline Flygt 2700 pumps fit easily into confined spaces and can easily be moved whenever necessary. A convenient ring-shaped handle supports good manoeuvrability during installation, and serves as a sturdy stand when you turn the pump upside down for service.

### Reliable, trouble-free operation

For the ultimate uptime, count on the Flygt 2700 series for continuity. Well-engineered and easy to use, these pumps offer simplicity in stainless steel. Few streamlined components contribute to unmatched robustness, handling ease and cost-effective spare parts handling.



Flygt 2700 pumps can handle pH values from 2 to 10.



# Highest quality throughout

**Ring-shaped handle**

Designed for good manoeuvrability. Also works as a sturdy stand during maintenance.

**Adjustable outlet**

Vertical or horizontal outlet connection.

**Motor**

Short-circuited, high-performance motor in insulation class F (+155°C) for submersible operation that allows 15 starts per hour. The stainless steel stator housing has three integrated thermo-sensors.

**Stainless steel impeller**

Tailored to work efficiently and for a long time in extreme environments.

**Removable junction box cover**

Makes it easier to access the pump's electrical components.

**Corrosion - and impact - resistant outer casing**

Stainless steel throughout, for better durability in tough environments.

**Double mechanical shaft seals**

Work independently of each other. The same seal fits all Flygt 2700 series pumps.

**Adjustable diffusers**

For optimized performance.



## Solids handling version

**External oil and inspection plugs**

Smart location and easy to access. Simplifies service and maintenance.

**Recessed vortex impeller**


Reduces wear on the wheel. Greater throughflow enables the pump to handle larger particles.

**Adjustable side discharge**

Provides added flexibility at the outlet connections.

**Robust stand in stainless steel**

Adds steadiness and stability. Creates free passage for larger particles.



# Find the right model for your needs

## Drainage pumps for corrosive applications

The Flygt BS 2720.390, 2740.390 and 2750.390 pumps handle water that contains abrasive particles and particles in suspensions up to 1" x ¼" in size. Available in both high head and high flow versions.




## Sludge pumps for corrosive applications


The Flygt DS 2720.280, 2730.280 and 2740.280 pumps handle light slurry, different types of mud and sludge, and heavily contaminated water that contains abrasive particles, particles in suspensions up to 3" in size.



## Performance curves



B=wear-resistant impeller



D=solids-handling impeller

## Dimensions and capacities

Model	B 2720	B 2740	B 2750
Rating, hp (kW)	3.1 (2.3)	9 (6.7)	13 (9.7)
Discharge Ø, in (mm)	3" (76)	3" / 4" (76/102)	3" / 4" (76/102)
Height, in (mm)	24" (600)	29" (730)	31" (785)
Width, in (mm)	9" (230)	11" (280)	11" (280)
Strainer hole, in (mm)	1" x ¼" (25x7)	1" x ¼" (25x7)	1" x ¼" (25x7)

Model	D 2720	D 2730	D 2740
Rating, hp (kW)	3.1 (2.3)	6,9 (5.1)	9 (6.7)
Discharge Ø, in (mm)	3" (76)	3" / 4" (76/102)	3" / 4" (76/102)
Height, in (mm)	28" (715)	33" (845)	33" (845)
Width, in (mm)	16½" (420)	18" (455)	18" (455)
Throughlet, in (mm)	2" (50)	3" (75)	2" (50)

# Boost versatility and performance

Raise the performance of Flygt 2700 pumps by selecting options and accessories specially designed to simplify pump installation and operation.

## Options

### *Starters (Manual and automatic)*

Provide thermal/magnetic overload protection, thermal contact supervision and phase sequence indication.

### *Outlets*

Enable convenient attachment of a hose or threaded connections for side discharge. Available as 3" and 4" outlets, with or without threaded connections, and adjustable to vertical or horizontal position.

### *Discharge connections*

Enables fast connection and removal through quick-couplings in stainless steel. Available for high-wear applications.

### *SUBCAB® cable*

Submersible cable.

### *Special cables\**

For power supply that withstands high temperatures, high voltage and chemical agitation.

## Accessories

### *Check valve*

Prevents backflow.

### *Level regulators*

Controls operation by starting or stopping the pump or actuating an alarm.

### *Flygt pump raft*

Keeps the pump afloat using lightweight glass-fiber reinforced polymer.

### *Discharge hose*

Handles corrosive and abrasive liquids with wide variances in pH levels.

### *Cable protection hose*


Provides physical protection for electric cables in applications involving water and/or oil.

### *Zink anode kits*

Provides extra protection against galvanic corrosion.



**Adjustable outlet.** Enables vertical and horizontal pumping.



**Flygt SUBCAB® cable.** Provides high-quality protection of cable when submersed in liquid.



**Flygt pump raft\*.** Enables the pump to adjust to changing water levels.

\* Available only for drainage versions.

# A long-term commitment to lasting quality



## Boost efficiency with monitoring and control

Whether you use a single Flygt pump or multiple pumps in a series, we can supply what you need - everything from pump controllers to sensors and startup equipment.



## Genuine spare parts and warranty

When downtime isn't an option, rely on our global service network to deliver genuine Flygt spare parts to you - quickly and efficiently. All Flygt spare parts are backed by a solid 10-year availability guarantee.

The strength of Xylem lies in our ability to combine dewatering products, services and application know-how that enable us to create dry workspaces for a wide range of industries, including yours.

### Creative system engineering

Whatever your needs, we offer system engineering expertise. Rely on us to calculate power supply and friction losses, size pipes or optimize your pump sump design. We can also help you with pumping specifications, systems design and serial and parallel installations.

### Global support and service

To provide you with outstanding support and service, we have a global service network that spans 140 countries. Our dedicated professionals are at work in over 175 service

centers worldwide. Plus we have hundreds of authorized Flygt service partners who provide top-notch service and support.

### Nobody does dewatering better

From design, installation and commissioning of basic packages right up to complete installations, no other dewatering solutions provider does it all. You can buy or rent Flygt dewatering equipment or let us take responsibility for managing your dewatering project onsite. Simply put, we keep your operations moving.

# Xylem ['zīləm]

- 1) The tissue in plants that brings water upward from the roots
- 2) A leading global water technology company

Xylem (XYL) is a leading global water technology provider, enabling customers to transport, treat, test and efficiently use water in public utility, residential and commercial building services, industrial and agricultural settings. The company does business in more than 150 countries through a number of market-leading product brands, and its people bring broad applications expertise with a strong focus on finding local solutions to the world's most challenging water and wastewater problems. Launched in 2011 from the spinoff of the water-related businesses of ITT Corporation, Xylem is headquartered in White Plains, N.Y., with 2011 revenues of \$3.8 billion and 12,500 employees worldwide. In 2012, Xylem was named to the Dow Jones Sustainability World Index for advancing sustainable business practices and solutions worldwide.

The name Xylem is derived from classical Greek and is the tissue that transports water in plants, highlighting the engineering efficiency of our water-centric business by linking it with the best water transportation of all -- that which occurs in nature. For more information, please visit us at [www.xylem.com](http://www.xylem.com).



Xylem, Inc.  
14125 South Bridge Circle  
Charlotte, NC 28273  
Tel 704.409.9700  
Fax 704.295.9080  
855-XYL-H2O1 (855-995-4661)  
[www.xylem.com](http://www.xylem.com)

Flygt is a trademark of Xylem Inc. or one of its subsidiaries.  
© 2015 Xylem, Inc. MAY 2015