


FLOMAX 5 8 10


SELF PRIMING CENTRIFUGAL PUMP FEATURES

- CLOSED COUPLED TO ELECTRIC MOTOR
- PUMPAK ONLY TO MOUNT TO STANDARD NEMA "C" FACE MOTOR
- FLOWS - 100-750 GPM
- PRESSURES - 100-230 FEET HEAD
- AVAILABLE IN: CAST IRON AND BRONZE
FLOMAX 5 AND FLOMAX 8 ALSO AVAILABLE IN ALUMINUM
FLOMAX 8 AND FLOMAX 15 ALSO AVAILABLE IN STAINLESS STEEL
- WITH OR WITHOUT ELECTRIC MOTOR
- IMPELLER - CAST IRON, BRONZE, ALUMINUM & STAINLESS STEEL
FLOMAX 40 CAST IRON, BRONZE & STAINLESS STEEL
FLOMAX 30 DUCTILE IRON & BRONZE
- SHAFT SLEEVE - STAINLESS STEEL
- FASTENERS - STAINLESS STEEL
- SEALS - STANDARD VITON, OPTIONAL SEALS AVAILABLE
PRESSURE LUBRICATED DOUBLE SEALS
- OPTIONS:
 - ENGINE DRIVES
 - PEDESTAL MODELS
 - HYDRAULIC DRIVES AND CLUTCHPAKS
- ABS TYPE APPROVAL FOR MANY SHIPBOARD SERVICES

MODEL	Suction	Discharge	Max. Solid Size
FLOMAX 5	1 1/2" NPT	1 1/2" NPT	.56"
FLOMAX 8	2" NPT	2" NPT	.56"
FLOMAX 10	2" NPT	2" NPT	.625"
FLOMAX 15	3" NPT	3" NPT	.625"
FLOMAX 30	3" NPT	3" NPT	.60"
FLOMAX 40	4" NPT	4" NPT	.65"



FLOMAX 5



FLOMAX 8



316 SS FLOMAX 8



FLOMAX 10

motralec


4 rue Lavoisier . ZA Lavoisier . 95223 HERBLAY CEDEX

Tel. : 01.39.97.65.10 / Fax. : 01.39.97.68.48


Demande de prix / e-mail : service-commercial@motralec.com

www.motralec.com


15 30 40




**FLOMAX 5 & 8
DOUBLE SEAL**



**FLOMAX 30
CLOSE COUPLED**




FLOMAX 15





FLOMAX 40



Self-Priming Centrifugal Pump Selection



Flomax 5 Pump Performance Curves





Flomax 8 Pump Performance Curves





Other Performance Curves Available Upon Request

Flomax 5 & 8 Pump Double Seal Performance Curves





Flomax 10 Pump Performance Curves





Other Performance Curves Available Upon Request



Flomax 15 Pump Performance Curves





Flomax 15 Pump Double Seal Performance Curves



Flomax 30 Pump Performance Curves




Flomax 40 Pump Performance Curves




Other Performance Curves Available Upon Request


Flomax 5 Dimensions




Flomax 8 Dimensions




Flomax 8 316 SS Dimensions




Flomax 5 & 8 Double Seal Dimensions




Flomax 10 Dimensions




Flomax 15 Dimensions




Flomax 15 316 SS Dimensions



Flomax 30 Pedestal Mount Dimensions



Flomax 40 Dimensions



motralec

4 rue Lavoisier . ZA Lavoisier . 95223 HERBLAY CEDEX

Tel. : 01.39.97.65.10 / Fax. : 01.39.97.68.48

Demande de prix / e-mail : service-commercial@motralec.com

www.motralec.com