motralec Pompe de forage Caprari E5MX GB 998994 01 22
DEMANDE DE PRIX >
★★★★★ 4,8/5 sur +600 avis . Depuis 1976 . 3 agences : Herblay-sur-Seine (95), Sèvres (92), Étréchy (91) . www.motralec.com

MONOBLOC BOREHOLE PUMPS

E5MX

Poles 2 50 Hz



EASY WELL
PUMPS & MOTORS

ISO 9001
ISO 14001
ISO 45001
BUREAU VERITAS Certification

BY caprari

Cod. 998994/01-22-copyright © 2021 Caprari S.p.A - All Rights Reserved

motralec ★★★★★ 4,8/5 . +600 avis
DEMANDE DE PRIX >
4 rue Lavoisier, 95220 Herblay-sur-Seine . Tél. 01 39 97 65 10 . service-commercial@motralec.com . www.motralec.com

GENERAL NOTES

E5MX monobloc borehole pumps are suitable for domestic, civil and industrial applications: for the supply and transport of water from wells, tanks and for irrigation.

Maximum content of solids, the same hardness and granulometry of silt: 50g/m^3
Maximum temperature of the pumped liquid: 0÷35°C
Protection degree: IP68
Insulation class: F
Motor powers: up to 1,5kW single-phase and three-phase
Supply Voltage: 230V single-phase – 400V three-phase (230V on request)
Supply Voltage - Tolerance: ±10%
Maximum starts/hour: 40
Maximum immersion depth: 40m
Standard cable length: 10m
All pumps are tested
MADE IN ITALY certi ication
The hydraulic performance characteristics were mesured with 400V powered motors, with cold water (15°C) and atmospheric pressure (1bar). They are guaranteed as conforming to standard UNI/ISO 9906 Grade 3B.

The catalogue data refer to liquids with a density of 1 kg/dm^3 and a kinematic viscosity of not more than 1 mm^2/s.
Tolerances on the operating data according to the International Standards IEC 34-1.


UPON REQUEST


- Floating switch with plug in connector
- Kit of conversion from automatic to manual version
- Cable length 20m

Cod. 99899401-22-copyright © 2021 Caprari S.p.A - All Rights Reserved

motralec ★★★★★ 4,8/5 . +600 avis
4 rue Lavoisier, 95220 Herblay-sur-Seine . Tél. 01 39 97 65 10 . service-commercial@motralec.com . www.motralec.com

E5MX PERFORMANCE RANGE - 50Hz





OPERATING DATA - 50Hz

Type		P_2		N. of Stage	Q (Flow rate)							
Single-phase 230 V	Three-phase 230/400 V	[Hp]	[kW]		[l/min] 0	20	40	60	80	100	120	140
					[m³/h] 0	1,2	2,4	3,6	4,8	6	7,2	8,4
					H (Total Head) [m]							
E5MX3/3+04M.-V	E5MX3/3+04T.-V	0,6	0,45	3	34,2	29,2	24,2	18,4	9,8	-	-	-
E5MX3/4+06M.-V	E5MX3/4+06T.-V	0,8	0,6	4	46,6	40,6	34,2	25,6	13,7	-	-	-
E5MX3/5+07M.-V	E5MX3/5+07T.-V	1	0,75	5	58,1	50,1	40,9	29,6	16,7	-	-	-
E5MX3/6+09M.-V	E5MX3/6+09T.-V	1,2	0,9	6	69,7	59,7	48,8	36,1	20,4	-	-	-
E5MX3/7+11M.-V	E5MX3/7+11T.-V	1,5	1,1	7	79,2	69,2	58,2	44,1	24,3	-	-	-
E5MX3/9+15M.-V	E5MX3/9+15T.-V	2	1,5	9	102,4	91,2	76,2	57,3	31,4	-	-	-
E5MX5/3+06M.-V	E5MX5/3+06T.-V	0,8	0,6	3	37,2	35,9	32,9	29,2	24,6	19,1	13,9	8,2
E5MX5/4+09M.-V	E5MX5/4+09T.-V	1,2	0,9	4	49,6	47,8	43,9	38,8	32,8	26,0	18,9	11,2
E5MX5/5+11M.-V	E5MX5/5+11T.-V	1,5	1,1	5	61,5	59,1	54,2	49,1	40,9	32,2	23,3	13,8
E5MX5/6+15M.-V	E5MX5/6+15T.-V	2	1,5	6	74,4	70,2	65,4	58,0	49,0	38,9	28,0	16,3

ELECTRICAL DATA - 50Hz

Type	P_1 [kW] (Max Absorbed Power)	I [A] (Max Absorbed Current)	Capacitor 450 V [µF]
Single-phase 230 V			
E5MX3/3+04M.-V	0,81	3,7	20
E5MX3/4+06M.-V	1	5,1	25
E5MX3/5+07M.-V	1,22	5,7	25
E5MX3/6+09M.-V	1,4	6,5	35
E5MX3/7+11M.-V	1,65	7,6	35
E5MX3/9+15M.-V	2,15	9,8	40
E5MX5/3+06M.-V	1,1	5,2	25
E5MX5/4+09M.-V	1,32	6,4	35
E5MX5/5+11M.-V	1,7	8	35
E5MX5/6+15M.-V	1,95	9,4	40

Type	P_1 [kW] (Max Absorbed Power)	I [A] (Max Absorbed Current)	
		230 V	400 V
Three-phase 230/400 V			
E5MX3/3+04T.-V	0,82	2,4	1,4
E5MX3/4+06T.-V	1,04	2,9	1,9
E5MX3/5+07T.-V	1,3	3,8	2,2
E5MX3/6+09T.-V	1,32	4,5	2,6
E5MX3/7+11T.-V	1,51	4,8	2,9
E5MX3/9+15T.-V	2,05	5,7	3,5
E5MX5/3+06T.-V	1,12	4	2,1
E5MX5/4+09T.-V	1,29	4,4	2,5
E5MX5/5+11T.-V	1,64	4,9	3
E5MX5/6+15T.-V	1,92	5,7	3,7

Cod. 98899401-22-copyright © 2021 Caprari S.p.A - All Rights Reserved

motralec ★★★★★ 4,8/5 . +600 avis

4 rue Lavoisier, 95220 Herblay-sur-Seine . Tél. 01 39 97 65 10 . service-commercial@motralec.com . www.motralec.com


E5MX

EASY WELL PUMPS & MOTORS BY caprari


OVERALL DIMENSIONS AND WEIGHTS

50Hz Models		Dimension (*)		Cable Length [m]
Single-phase 230 V	Three-phase 230/400 V	Length [mm]	Weight [kg]	
E5MX3/3+04M.-V	E5MX3/3+04T.-V	439	14	10
E5MX3/4+06M.-V	E5MX3/4+06T.-V	495	15,5	
E5MX3/5+07M.-V	E5MX3/5+07T.-V	521	16,5	
E5MX3/6+09M.-V	E5MX3/6+09T.-V	590	19	
E5MX3/7+11M.-V	E5MX3/7+11T.-V	616	20	
E5MX3/9+15M.-V	E5MX3/9+15T.-V	698	23,5	
E5MX5/3+06M.-V	E5MX5/3+06T.-V	469	16	
E5MX5/4+09M.-V	E5MX5/4+09T.-V	515	17,5	
E5MX5/5+11M.-V	E5MX5/5+11T.-V	541	18,5	
E5MX5/6+15M.-V	E5MX5/6+15T.-V	620	20,5	

(*) Indicative measures and weights



SECTIONED E5MX



PUMP CONSTRUCTION AND MATERIALS

Pos.	Nomenclature	Material
1	Discharge outlet	Stainless steel
2	Impeller	Technopolymer
3	Diffuser	Technopolymer
4	Mechanical seal (Hydraulic side)	Rotating part: Graphite Fixed part: Silicon carbide
5	Mechanical seal (Motor side)	Rotating part: Graphite Fixed part: Alumina
6	Shaft	Motor zone: A105 Hydraulic zone: 304 SS
7	Shell	Stainless steel
8	Rotor	Magnetic Laminations
9	Stator	Magnetic Laminations
10	Cable	H07RN-F type
11	Filter	Stainless steel
12	Floating switch	-

Cod. 99899401-22-copyright © 2021 Caprari S.p.A - All Rights Reserved

motralec ★★★★★ 4,8/5 . +600 avis

4 rue Lavoisier, 95220 Herblay-sur-Seine . Tél. 01 39 97 65 10 . service-commercial@motralec.com . www.motralec.com

Cod. 98899/01-22-copyright © 2021 Caprari S.p.A - All Rights Reserved

motralec ★★★★★ 4,8/5 . +600 avis

4 rue Lavoisier, 95220 Herblay-sur-Seine . Tél. 01 39 97 65 10 . service-commercial@motralec.com . www.motralec.com

Motralec . motralec . com

EASY WELL PUMPS & MOTORS BY caprari

The dimensions have an indicative value. Executive drawing will be supplied on request upon order.
CAPRARI S.p.A. reserves the right to make changes to improve its products at any time and without any notice.

Cod. 998994/01-22-copyright © 2021 Caprari S.p.A - All Rights Reserved

motralec ★★★★★ 4,8/5 . +600 avis

4 rue Lavoisier, 95220 Herblay-sur-Seine . Tél. 01 39 97 65 10 . service-commercial@motralec.com . www.motralec.com

motralec

Expert en pompes, moteurs électriques et ventilateurs industriels depuis 1976.
Herblay-sur-Seine (95) . Sèvres (92) . Étréchy (91) . www.motralec.com

Besoin d'un prix ou d'un conseil technique ?

Pompe de forage Caprari E5MX GB 998994 01 22

★★★★★ 4,8/5 . +600 avis

- Devis rapide et conseil technique par nos spécialistes
- Plus de 200 000 références et 30 marques distribuées
- Vente, réparation, bobinage et SAV en atelier
- Livraison partout en France, accompagnement avant et après-vente

Voir la gamme Caprari sur notre site :

www.motralec.com/.../caprari

DEMANDE DE PRIX >