

Fiche produit Motralec Ziehl Abegg Fe2Owlet FN035 4E - fiche technique | Motralec

■ **DEMANDE DE PRIX RAPIDE** : <https://www.motralec.com/demandeContact>

Dry transformer cooling Fans for transformer cooling
www.motralec.com / service-commercial@motralec.com / 01.39.97.65.10

FE2owlet

for single phase alternating current, 4 pole


FN035-4E



Description

Motor technology: AC
 Rated voltage U_N : 1~ 230 V
 Rated frequency f_N : 50 Hz | 60 Hz*
 Input power P_i :
 130 W | 160 W*
 Rated current I_N :
 0.56 A | 0.70 A*
 Rated speed n_N :
 1070 min⁻¹ | 1080 min⁻¹*
 Starting current I_A : 0.7/ A
 Current increase ΔI : 0 % | 0 %
 Service capacitor C_{400V} : 5.0 μ F
 Thermal class: THCL155*
 Min. permitted ambient temperature $t_{R(min)}$: -40 °C***
 Max. permitted ambient temperature $t_{R(max)}$:
 60 °C | 40 °C
 Electrical connection: Supply cable variable 45 cm
 Number of blades: 7
 Motor protection: thermal contact
 Blades: High Performance Composite Material, uncoated, black
 Rotor: Aluminium, 1 coat paint, RAL 5002 (ultramarine blue)
 Conformity: CE
ErP-data
 Not subject to the regulations of ErP directive ($P_i < 125$ W)
 * Rated data
 **** Continuous operation with occasional starts (S1) according to DIN EN 60034-1:2011-02. Occasional starting between -40 °C and -25 °C is permissible. Continuous operation below -25 °C only with special bearings for refrigeration applications on request.

Characteristic curve



Measured in full bell mouth without guard grille in installation type A according to ISO 5801.

Connection diagram


Page 253
1360-177X

Airflow direction A

Dimensions mm

Airflow direction A

Design L - round full bell mouth, guard grille suction side



Type	Characteristic curve	Voltage	Frequency	Operating point	Current	Input power	Speed	Suction side sound power level
		U V	f Hz		I A	P _i W	n min ⁻¹	L _{WAS} dB(A)
FN035-4EL.WD.A7	I	230*	50	②	0.56*	130*	1070*	60
	I	230*		③	0.50*	110*	1220*	65
	I	230*	60	②	0.70*	160*	1080*	60
	I	230*		③	0.66*	140*	1320*	66

*rated data

Fan ordering information

Airflow direction A 

Design L (guard grille suction side)



Type FN035-4EL.WD.A7
Article no. 162548

Weight kg 6.50

Information

Oil transformer cooling

Dry transformer cooling

System components

Control technology

Appendix

ziehl-abegg.com



179

Fiche produit Motralec Ziehl Abegg Fe2Owlet FN035 4E - fiche technique | Motralec

■ **DEMANDE DE PRIX RAPIDE** : <https://www.motralec.com/demandeContact>

Besoin d'un prix ou d'un conseil technique ?

Ventilateur Ziehl Abegg FE2OWLET FN035 4E



4,7/5 . +600 avis Google

- Devis rapide et conseil technique par nos spécialistes
- Plus de 200 000 références et 30 marques distribuées
- Vente, réparation, bobinage et SAV en atelier
- Livraison partout en France, accompagnement avant et après-vente

Voir la gamme Ziehl Abegg sur notre site :

www.motralec.com/.../ziehl-abegg

DEMANDER UN PRIX >