

Fiche produit Motralec Ziehl Abegg Fe2Owlet FN080 VD - fiche technique | Motralec

■ **DEMANDE DE PRIX RAPIDE** : <https://www.motralec.com/demandeContact>


FE2owlet, AC technology  
Size 800

Fans for railroad engineering  
01/2017

# FE2owlet

for three phase alternating current, 4-4 pole


FN080-VD



### Description

Motor technology: AC  
 Rated voltage  $U_N$ :  
**3~400 V ( $\Delta/Y$ )\***  
 Rated frequency  $f_N$ : **50 Hz\***  
 Input power  $P_i$ :  
**3.90/2.60 kW\***  
 Rated current  $I_N$ :  
**6.80/4.20 A\***  
 Rated speed  $n_N$ :  
**1310/1050 min<sup>-1</sup>\***  
 Starting current  $I_A$ : **32.00/10.00 A**  
 Current increase  $\Delta I$ : **5 %**  
 Thermal class: THCL155\*  
 Min. permitted ambient temperature  $t_{R(min)}$ : **-40 °C\*\*\***  
 Max. permitted ambient temperature  $t_{R(max)}$ :  
**70 °C**  
 Electrical connection: Supply cable axial 105 cm  
 Number of blades: 5  
 Degree of protection : IP54  
 Motor protection: thermal contact  
 Blades: Aluminium, 2 coat paint, jet black  
 Rotor: Aluminium, 2 coat paint, jet black  
 Conformity: CE \* Rated data  
 \*\*\* Continuous operation with occasional starts (S1) according to DIN EN 60034-1:2011-02. Occasional starting between -40 °C and -25 °C is permissible. Continuous operation below -25 °C only with special bearings for refrigeration applications on request.

Characteristic curve



Measured in full bell mouth without guard grille in installation type A according to ISO 5801.


Connection diagram

Page 327  
1360-108XA

### Dimensions mm



Design A - without mounting



Type	Connection	Characteristic curve	Voltage	Operating point	Current	Input power	Speed	Suction side sound power level $L_{WA5}$ dB(A)
			U V		I A	$P_i$ W	n min <sup>-1</sup>	
FN080-VD_7Q_5P7	Δ	I	400*	②	6.80*	3900*	1310*	95
			400	③	5.20	2700	1380	92
			400*	⑤	4.20*	2600*	1050*	88
	Y	II	400	⑥	3.20	2000	1180	88

\*rated data

### Fan ordering information

**Airflow direction V**

Design A

Installation position H/Vu



Type **FN080-VDA.7Q.V5P7**  
Article no. **175781**

Weight kg 41.00

Information

ZArail

Cpro-ECblue

C-ECblue

C series

N series

M series

FE2owlet

[www.motralec.com](http://www.motralec.com) / [service-commercial@motralec.com](mailto:service-commercial@motralec.com) / 01.39.97.65.10 271

Fiche produit Motralec Ziehl Abegg Fe2Owlet FN080 VD - fiche technique | Motralec

■ **DEMANDE DE PRIX RAPIDE** : <https://www.motralec.com/demandeContact>

## Besoin d'un prix ou d'un conseil technique ?

Ventilateur Ziehl Abegg FE2OWLET FN080 VD



4,7/5 . +600 avis Google

- Devis rapide et conseil technique par nos spécialistes
- Plus de 200 000 références et 30 marques distribuées
- Vente, réparation, bobinage et SAV en atelier
- Livraison partout en France, accompagnement avant et après-vente

Voir la gamme Ziehl Abegg sur notre site :

[www.motralec.com/.../ziehl-abegg](http://www.motralec.com/.../ziehl-abegg)

**DEMANDER UN PRIX >**