






Type	Characteristic curve	Speed n min ⁻¹	Operating point	Current	Input power	Acoustic pressure level 7m	Specific power
				I A	P _{sys} W	L _{pA} dB(A)	P _{spez} Wh/1000m ³
FF056-ZI_DC_5P1	I	1350	①	5.00	1150		
			②	4.20	980		111.0
			③	3.90	900	52	67.0
			④	4.00	940	53	73.4
	II	1080	⑤	2.60	580		
			⑥	2.20	500		70.4
			⑦	2.10	460	48	43.3
			⑧	2.20	480	48	49.3
	III	810	⑨	1.15	250		
			⑩	1.00	220		41.2
			⑪	0.96	200	42	25.8
			⑫	0.44	85		
	IV	540	⑬	0.42	75		21.6
			⑭	0.40	70	34	13.3

Current values determined at 230V

Fan ordering information

Airflow direction A			
Design	T (without guard grille)	Q (without guard grille)	Q (guard grille suction side)
			
Type	FF056-ZIT.DC.A5P1	FF056-ZIQ.DC.A5P1	FF056-ZIQ.DC.A5P1
0-10 V	Article no. 171918	171916	171917
10-0 V	Article no. 171922	171920	171921
Wall ring plate		Wall ring plate made of galvanized sheet steel	Wall ring plate made of galvanized sheet steel
Weight kg	12.80	21.90	23.90

Control technology

Control module UNIcon Zenec switch	
	
Page 130	Page 158

www.ziehl-abegg.com

Fiche produit Motralec Ziehl Abegg Ffowlet Ecblue FF056 - fiche technique | Motralec

■ **DEMANDE DE PRIX RAPIDE** : <https://www.motralec.com/demandeContact>

Besoin d'un prix ou d'un conseil technique ?

Ventilateur Ziehl Abegg FFOWLET ECBLUE FF056



4,7/5 . +600 avis Google

- Devis rapide et conseil technique par nos spécialistes
- Plus de 200 000 références et 30 marques distribuées
- Vente, réparation, bobinage et SAV en atelier
- Livraison partout en France, accompagnement avant et après-vente

Voir la gamme Ziehl Abegg sur notre site :

www.motralec.com/.../ziehl-abegg

DEMANDER UN PRIX >