



Type	Characteristic curve	Voltage	Operating point	Current	Input power	Speed	Acoustic pressure level 7m L <sub>pA</sub> dB(A)	Specific power
		U V		I A	P <sub>1</sub> W	n min <sup>-1</sup>		P <sub>spez</sub> Wh/1000m <sup>3</sup>
FF056-6E_4I_5R2	I	230	①	2.20	460	900		
			②	1.90	400	920		70.3
			③	1.80	390	930	49	40.8
			④	1.90	400	920	49	47.3
	II	170	⑤	2.70	420	720		
			⑥	2.20	360	810		70.9
			⑦	2.10	340	830	45	40.1
			⑧	2.30	370	800	46	50.7
	III	135	⑨	2.60	310	460		
			⑩	2.50	300	560		84.3
			⑪	2.40	300	600	39	48.2
	IV	110	⑫	2.20	210	330		
			⑬	2.20	210	380		89.5
			⑭	2.20	210	400	30	52.1

### Fan ordering information

Airflow direction A 

Design T (without guard grille) Q (without guard grille) Q (guard grille suction side)



Type **FF056-6ET.4I.A5R2**  
Article no. **170492**

Type **FF056-6EQ.4I.A5R2**  
Article no. **170491**

Type **FF056-6EQ.4I.A5R2**  
Article no. **170515**

Wall ring plate  
Weight kg 11.60

Wall ring plate made of  
galvanized sheet steel  
20.60

Wall ring plate made of  
galvanized sheet steel  
22.00

### Control technology

Frequency inverters  
Fcontrol 1~



Page 132

Motor protection units  
1~



Page 154

Electronic voltage  
controllers 1~



Page 138

[www.ziehl-abegg.com](http://www.ziehl-abegg.com)



55

Fiche produit Motralec Ziehl Abegg Ffowlet FF056 6E - fiche technique | Motralec

■ **DEMANDE DE PRIX RAPIDE** : <https://www.motralec.com/demandeContact>

## Besoin d'un prix ou d'un conseil technique ?

Ventilateur Ziehl Abegg FFOWLET FF056 6E



4,7/5 . +600 avis Google

- Devis rapide et conseil technique par nos spécialistes
- Plus de 200 000 références et 30 marques distribuées
- Vente, réparation, bobinage et SAV en atelier
- Livraison partout en France, accompagnement avant et après-vente

Voir la gamme Ziehl Abegg sur notre site :

[www.motralec.com/.../ziehl-abegg](http://www.motralec.com/.../ziehl-abegg)

**DEMANDER UN PRIX >**