

Fiche produit Motralec Ziehl Abegg RH Cpro - fiche technique | Motralec

■ DEMANDE DE PRIX RAPIDE : <https://www.motralec.com/demandeContact>

Impellers with hub www.motralec.com / service-commercial@motralec.com / 01.39.97.65.10

Cpro

with clamping bush hub



Description


Scope of delivery: Bolted hub each including clamping bush hub

Bore diameter: Specification corresponding to motor classification

Surface protection hub:

SM12 - SM20: Phosphate coating

SM25: Phosphate coated and painted RAL 7011



L-KL-2795-11

Impeller RH..Cpro with clamping bush hub																	
Type	Article no.	Dimensions															
		D	B2	DA	DD	DL	DN	DSA	D1	D5	E1	H	H1	H2	H5	U	Z
		mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm
RH25C.CR/SM12-1	113908VAR	19-24	76	277	290	164	290	257	202	8.5	257	174	47	114	129	2.5	6x60°
RH28C.CR/SM12-2	113909VAR	19-28	85	303	322	182	322	286	225	8.5	283	191	52	126	142	3.0	6x60°
RH31C.CR/SM12-2	113910VAR	19-28	95	343	360	204	360	320	253	8.5	317	211	59	140	156	3.0	8x45°
RH35C.CR/SM12-2	113911VAR	19-28	106	378	406	230	406	360	286	8.5	352	234	66	156	172	3.5	8x45°
RH40C.CR/SM12-2	113912VAR	19-28	118	418	457	258	457	406	322	8.5	392	261	74	176	191	4.0	8x45°
RH40C.CR/SM20	113913VAR	38	118	418	457	258	457	406	322	8.5	392	263	74	176	193	4.0	8x45°
RH45C.CR/SM20	113914VAR	19-38	133	464	515	291	515	457	364	8.5	438	293	83	197	214	4.5	8x45°
RH50C.CR/SM20	113915VAR	24-42	150	514	579	328	579	514	410	8.5	488	327	94	221	239	5.0	8x45°
RH56C.CR/SM20	113916VAR	28-42	167	564	644	363	644	572	455	8.5	538	363	104	247	265	6.0	8x45°
RH63C.CR/SM25	113917VAR	28-42	187	634	721	407	721	640	510	10.5	600	410	117	275	300	6.5	12x30°

Cpro

with fixed hub




Description

Scope of delivery: Bolted hub with internal diameter

Bore diameter: Specification corresponding to motor classification

Surface protection hub:

NA02 - NA04 (aluminium): bare



L-KL-2796-6

Impeller RH..Cpro with fixed hub																	
Type	Article no.	Dimensions															
		D	B2	DA	DD	DL	DN	DSA	D1	D5	E1	H	H1	H2	H5	U	Z
		mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	
RH25C.CR/NA02	113918VAR	19-24	76	277	290	164	290	257	202	8.5	257	189	47	114	144	2.5	6x60°
RH28C.CR/NA04	113919VAR	19-28	85	303	322	182	322	286	225	8.5	283	206	52	126	157	3.0	6x60°
RH31C.CR/NA04	113920VAR	19-28	95	343	360	204	360	320	253	8.5	317	226	59	140	171	3.0	8x45°
RH35C.CR/NA04	113921VAR	19-28	106	378	406	230	406	360	286	8.5	352	249	66	156	187	3.5	8x45°
RH40C.CR/NA04	113922VAR	19-28	118	418	457	258	457	406	322	8.5	392	276	74	176	206	4.0	8x45°

ziehl-abegg.com



211

Fiche produit Motralec Ziehl Abegg RH Cpro - fiche technique | Motralec

■ DEMANDE DE PRIX RAPIDE : <https://www.motralec.com/demandeContact>

Information

ZABluefin

Cpro

C

C-ATEX

Impellers with hub

System components

Control technology

General notes

Besoin d'un prix ou d'un conseil technique ?

Ventilateur Ziehl Abegg RH CPRO



4,7/5 . +600 avis Google

- Devis rapide et conseil technique par nos spécialistes
- Plus de 200 000 références et 30 marques distribuées
- Vente, réparation, bobinage et SAV en atelier
- Livraison partout en France, accompagnement avant et après-vente

Voir la gamme Ziehl Abegg sur notre site :

www.motralec.com/.../ziehl-abegg

DEMANDER UN PRIX >