

Fiche produit Motralec Ziehl Abegg Zarail RH31W 1R - fiche technique | Motralec

■ **DEMANDE DE PRIX RAPIDE** : <https://www.motralec.com/demandeContact>

ZArail
RH31W.1R

www.motralec.com / service-commercial@motralec.com / 01.39.97.65.10

Fans for railroad engineering
since 2011


ZArail

RH31W..1R

Standard motor



Description
Design: RH*
Design: IMB 3
Installation position: H
Thermal class: THCL155
Degree of protection : IP55
Number of poles: 4-2 pole
Min. permitted ambient temperature $t_{R(min)}$: -30 °C
Max. permitted ambient temperature $t_{R(max)}$: 60 °C
Impeller made of bright sheet metal, powder-coated, ultramarine blue
Inlet ring supplied loosely, powder-coated, RAL 7032 (pebble grey)



Measured with inlet ring, without guard grille according to ISO 5801

Inlet ring	00411853	RAL 7032 (pebble grey)	Page 302
Inlet ring	00411846	unpainted	
Connection diagram	1360-221XA KLK		Page 328



Performance data 50 Hz

Rated frequency	f_{max}	Hz	50
Rated voltage	U_N	V	400
Motor size			090L
Type			RH31W-QDN.D7.1R
Article no.			172332
Connection			Y/YY
Motor output power	P_N	kW	0.18/1.50
Rated current	I_N	A	0.70/3.60
Speed	n_N	min ⁻¹	1475/2890
Weight		kg	28.00
Characteristic curves			II/I

Performance data 60 Hz

Rated frequency	f_{max}	Hz	60
Rated voltage	U_N	V	460
Motor size			100L
Type			RH31W-QDN.E7.1R
Article no.			172352
Connection			Y/YY
Motor output power	P_N	kW	0.30/2.40
Rated current	I_N	A	1.15/5.35
Speed	n_N	min ⁻¹	1780/3530
Weight		kg	40.00
Characteristic curves			IV/III

Dimensions mm



Besoin d'un prix ou d'un conseil technique ?

Ventilateur Ziehl Abegg ZARAIL RH31W 1R



4,7/5 . +600 avis Google

- Devis rapide et conseil technique par nos spécialistes
- Plus de 200 000 références et 30 marques distribuées
- Vente, réparation, bobinage et SAV en atelier
- Livraison partout en France, accompagnement avant et après-vente

Voir la gamme Ziehl Abegg sur notre site :

www.motralec.com/.../ziehl-abegg

DEMANDER UN PRIX >