

Fiche produit Motralec Ziehl Abegg Zarail RH40W 1R - fiche technique | Motralec

■ **DEMANDE DE PRIX RAPIDE** : <https://www.motralec.com/demandeContact>

ZArail
RH40W.1R

www.motralec.com / service-commercial@motralec.com / 01.39.97.65.10

Fans for railroad engineering
since 2011


ZArail

RH40W..1R

Standard motor



Description
Design: RH*
Design: IMB 3
Installation position: H
Thermal class: THCL155
Degree of protection : IP55
Number of poles: 4-2 pole
Min. permitted ambient temperature $t_{R(min)}$: -30 °C
Max. permitted ambient temperature $t_{R(max)}$: 60 °C
Impeller made of bright sheet metal, powder-coated, ultramarine blue
Inlet ring supplied loosely, powder-coated, RAL 7032 (pebble grey)



Inlet ring	00411855	RAL 7032 (pebble grey)	Page 302
Inlet ring	00411848	unpainted	
Connection diagram	1360-221XA KLK		Page 328



Performance data 50 Hz

Rated frequency	f_{max}	Hz	50
Rated voltage	U_N	V	400
Motor size			132M
Type			RH40W-QDN.H7.1R
Article no.			172340
Connection			Y/YY
Motor output power	P_N	kW	1.30/4.90
Rated current	I_N	A	2.70/10.80
Speed	n_N	min ⁻¹	1460/2900
Weight		kg	90.00
Characteristic curves			II/I

Performance data 60 Hz

Rated frequency	f_{max}	Hz	50
Rated voltage	U_N	V	460
Motor size			132M
Type			RH40W-QDN.H7.1R
Article no.			172360
Connection			Y/YY
Motor output power	P_N	kW	2.20/8.20
Rated current	I_N	A	4.50/15.50
Speed	n_N	min ⁻¹	1750/3480
Weight		kg	89.00
Characteristic curves			IV/III

Dimensions mm



Besoin d'un prix ou d'un conseil technique ?

Ventilateur Ziehl Abegg ZARAIL RH40W 1R



4,7/5 . +600 avis Google

- Devis rapide et conseil technique par nos spécialistes
- Plus de 200 000 références et 30 marques distribuées
- Vente, réparation, bobinage et SAV en atelier
- Livraison partout en France, accompagnement avant et après-vente

Voir la gamme Ziehl Abegg sur notre site :

www.motralec.com/.../ziehl-abegg

DEMANDER UN PRIX >