

Fiche produit Motralec Ziehl Abegg Zarail RH40W 4R - fiche technique | Motralec

■ **DEMANDE DE PRIX RAPIDE** : <https://www.motralec.com/demandeContact>

ZArail
RH40W..4R

www.motralec.com / service-commercial@motralec.com / 01.39.97.65.10

Fans for railroad engineering
since 2011


ZArail

RH40W..4R

Standard motor



Description
Design: RH*
Design: IMB 3
Installation position: H
Thermal class: THCL155
Degree of protection : IP55
Number of poles: 4-2 pole
Min. permitted ambient temperature $t_{R(min)}$: -30 °C
Max. permitted ambient temperature $t_{R(max)}$: 60 °C
Impeller made of bright sheet metal, powder-coated, ultramarine blue
Inlet ring supplied loosely, powder-coated, RAL 7032 (pebble grey)



Inlet ring	00411855	RAL 7032 (pebble grey)	Page 302
Inlet ring	00411848	unpainted	
Connection diagram	1360-221XA		Page 328
	KLK		



Performance data 50 Hz

Rated frequency	f_{max}	Hz	50
Rated voltage	U_N	V	400
Motor size			112M
Type			RH40W-QDN.F7.4R
Article no.			172343
Connection			Y/YY
Motor output power	P_N	kW	1.00/3.90
Rated current	I_N	A	2.00/7.90
Speed	n_N	min ⁻¹	1450/2870
Weight		kg	75.00
Characteristic curves			II/I

Performance data 60 Hz

Rated frequency	f_{max}	Hz	60
Rated voltage	U_N	V	460
Motor size			132M
Type			RH40W-QDN.H7.4R
Article no.			172363
Connection			Y/YY
Motor output power	P_N	kW	1.80/6.50
Rated current	I_N	A	3.70/12.60
Speed	n_N	min ⁻¹	1740/3470
Weight		kg	87.00
Characteristic curves			IV/III

Dimensions mm



ziehl-abegg.com



Besoin d'un prix ou d'un conseil technique ?

Ventilateur Ziehl Abegg ZARAIL RH40W 4R



4,7/5 . +600 avis Google

- Devis rapide et conseil technique par nos spécialistes
- Plus de 200 000 références et 30 marques distribuées
- Vente, réparation, bobinage et SAV en atelier
- Livraison partout en France, accompagnement avant et après-vente

Voir la gamme Ziehl Abegg sur notre site :

www.motralec.com/.../ziehl-abegg

DEMANDER UN PRIX >